

Percussion Driver Drill XGT HP002GZ



Product Description

40V MAX XGT • 64 Nm • 0 - 2 200 min⁻¹

Rugged, brushless combi drill for heavy-duty screwdriving and drilling

A powerful, brushless drill for professional screwdriving and drilling with or without hammer action, two power settings. Maximum torque of 64 / 30 Nm. An ideal choice for jobs that require high power and torque. Integrated LED light.

Product Features

- ⊙ XPT (Extreme Protection Technology) is engineered for improved dust and water resistance for operation in harsh job site conditions
- ⊙ Brushless maintenance-free and long-life motor
- ⊙ Compact and lightweight design
- ⊙ Built-in LED job light illuminates the work area
- ⊙ Ergonomically designed handle with soft grip provides increased comfort on the job
- ⊙ Keyless chuck for easy bit installation and removal
- ⊙ Mechanical 2-speed gearing; High speed mode for speedy drilling in light duty applications; Low speed mode for heavy duty applications requiring high torque
- ⊙ Battery protection circuit protects against overloading, over-discharging and over-heating
- ⊙ Electric brake for maximum productivity
- ⊙ Reversing switch is conveniently located

Barcode

88381735667

Product Specifications

Drilling Capacity Wood (Auger Bit)	38 mm
Vibration Level (3 axes), Drilling	≤ 2,5 m/s ²
Torque setting	21
Drilling Capacity Wood (Self-feed bit)	51 mm

Tool weight with battery (EPTA)	2,0 - 3,4 kg
Max. Drilling Diameter in Steel	13 mm
Max. Drilling Diameter in Wood	38 mm
Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)	Li-ion
Vibration Level (3 axes), Impact Drilling	9,0 m/s ²
Battery Voltage	40 V
Brushless Motor	YES
Sound Pressure Level	87 dB(A)
Vibration Uncertainty (K Factor)	1,5 m/s ²
Driving Shank	1/2"-20UNF "
Product Dimensions (L x W x H):	174 x 86 x 272 mm
Max. fastening torque Hard/Soft	64 / 30 Nm
Impacts per Minute (IPM)	0 - 9 000 / 33000 min ⁻¹
System	XGT 40Vmax/80V max
Sound Power Level (L_{WA})	98 dB(A)
Product net weight (new)	1,3 kg
Voltage XGT	1
Noise Uncertainty (K Factor)	3 dB(A)
Max. Drilling Diameter in Concrete	13 mm
Max. Drilling Diameter in Masonry	13 mm
Drill Chuck Capacity	1,5-13 mm
Tool Category	Screwing and Drilling
Electronic brake	1
No load speed	0 - 600 / 2200 min ⁻¹

Standard Equipment

⊙ Sold without Battery or Charger

More info

<https://makita.ae/product/percussion-driver-drill-xgt-hp002gz/>